Shininess the Future

上海善宇实业有限公司

Shanghai shininess Industrial Co., Ltd

Tel: +86-21-58545653

Fax: +86-21-58545652

E-mail: info@shininess.com

Website: www.shininess.com

www.shininess-home.com

善宇实业

SHININESS INDUSTRIAL



LED Modules

Shanghai shininess Industrial Co., Ltd

www.shininess.com



Features:

- Input Voltage: DC12V or DC24V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP68
- Warranty: 4 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-10MW-3L1	3pcs	1.2W	140Lm	12V/24VDC	2700-20000K	160°	IP68



Features:

- Input Voltage: DC12V or DC24V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP68
- Warranty: 4 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-10MW-3L2	3pcs	1.2W	140Lm	12V/24VDC	2700-20000K	160°	IP68



Features:

- Input Voltage: DC12V or DC24V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP68
- Warranty: 3 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-11MW-3LA	3pcs	1.2W	120Lm	12V/24VDC	2700-20000K	160°	IP68



Features:

- Input Voltage: DC12V or DC24V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP68
- Warranty: 3 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-11MW-3LB	3pcs	1.2W	120Lm	12V/24VDC	2700-20000K	160°	IP68



Features:

- Input Voltage: DC12V
- Color: Red, Green, Blue, WW, NW, CW
- Material: PVC + PCB
- IP Grade: Waterproof IP65
- Warranty: 2 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-12MW-3LA	3pcs	1.5W	150Lm	12VDC	2700-15000K	160°	IP65



Features:

- Input Voltage: DC12V
- Color: Red, Green, Blue, WW, NW, CW
- Material: PVC + PCB
- IP Grade: Waterproof IP65
- Warranty: 2 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-12MW-3L	3pcs	1.5W	150Lm	12VDC	2700-15000K	160°	IP65



Features:

- Input Voltage: DC12V or DC24V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP65
- Warranty: 3 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-23MW-3W	3pcs	3W	300Lm	12V/24VDC	2700-20000K	175°	IP65



Features:

- Input Voltage: DC12V
- Color: Red, Green, Blue, Yellow, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP67
- Warranty: 3 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-COBMW-2W	1pc COB	2W	200Lm	12VDC	3000-15000K	160°	IP67

Features:

- Input Voltage: DC12V or DC24V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP67
- Warranty: 4 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-TFM01-1L	1pcs	0.5W	50Lm	12V/24VDC	2700-20000K	160°	IP67
SNS-TFM01-2L	2pcs	1W	100Lm	12V/24VDC	2700-20000K	160°	IP67
SNS-TFM01-3L	3pcs	1.5W	150Lm	12V/24VDC	2700-20000K	160°	IP67
SNS-TFM01-4L	4pcs	2W	200Lm	12V/24VDC	2700-20000K	160°	IP67

Features:

- Input Voltage: DC12V or DC24V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP67
- Warranty: 3 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-TXM02-1L	1pcs	0.5W	50Lm	12V/24VDC	2700-20000K	160°	IP67
SNS-TXM02-2L	2pcs	1W	100Lm	12V/24VDC	2700-20000K	160°	IP67
SNS-TXM02-3L	3pcs	1.5W	150Lm	12V/24VDC	2700-20000K	160°	IP67
SNS-TXM02-4L	4pcs	2W	200Lm	12V/24VDC	2700-20000K	160°	IP67





Features:

- Input Voltage: DC12V or DC24V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP68
- Warranty: 3 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-15MW-3LA	3pcs	1.2W	120Lm	12V/24VDC	2700-20000K	120°	IP68



Features:

- Input Voltage: DC12V or DC24V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP68
- Warranty: 3 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.

Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-15MW-3LB	3pcs	0.72W	100Lm	12V/24VDC	2700-20000K	120°	IP68



Features:

- Input Voltage: AC110-130V or AC220-240V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP67
- Warranty: 3 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.



Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-07MW-3LA	3pcs	1.5W	150Lm	110V/220VAC	2700-20000K	160°	IP67



Features:

- Input Voltage: AC110-130V or AC220-240V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP67
- Warranty: 3 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.



Optical Data:



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-07MW-3LB	3pcs	1.5W	150Lm	110V/220VAC	2700-20000K	160°	IP67

Features:

- Input Voltage: AC110-130V or AC220-240V
- Color: Red, Green, Blue, WW, NW, CW
- Material: ABS + PCB
- IP Grade: Waterproof IP67
- Warranty: 3 Years
- Easy to install
- Environmently-friendly, without pollution.
- Application: Advertisement sign, lighting box, etc.



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-08MW-3LA	3pcs	3W	300Lm	110V/220VAC	2700-20000K	175°	IP67



Features:

- Input Voltage: AC110-130V or AC220-240V
- Color: Red, Green, Blue, WW, NW, CW
- Material: PVC + PCB
- IP Grade: Waterproof IP65
- Warranty: 2 Years
- Easy to install
- Environmently-friendly, without pollution.
- Application: Advertisement sign, lighting box, etc.



Model	LED Qty	Watt	Lumen	Voltage	CCT	Beam Angle	IP Grade
SNS-09MW-3LA	3pcs	3W	300Lm	110V/220VAC	2700-20000K	160°	IP65

Features:

- Use 3 in 1 5050 LED
- Input Voltage: DC12V
- Color: RGBW
- Material: PVC + PCB
- IP Grade: Waterproof IP66
- Warranty: 2 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.



Model	LED Qty	Watt	Voltage	Color	Beam Angle	IP Grade
SNS-13MW-RGB	3pcs	0.72W	12VDC	RGBW	120°	IP66

Features:

- Use 3 in 1 5050 LED
- Input Voltage: DC12V
- Color: RGB
- Material: PVC + PCB
- IP Grade: Waterproof IP66
- Warranty: 2 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.



Model	LED Qty	Watt	Voltage	Color	Beam Angle	IP Grade
SNS-14MW-RGB	3pcs	0.72W	12VDC	RGB	120°	IP66

Features:

- Use 3 in 1 5050 LED
- Input Voltage: DC12V
- Color: RGBW
- Material: ABS + PCB
- IP Grade: Waterproof IP68
- Warranty: 2 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.





Model	LED Qty	Watt	Voltage	Color	Beam Angle	IP Grade
SNS-15MW-RGB	3pcs	0.72W	12VDC	RGBW	120°	IP68

Features:

- Use 4 in 1 5050 LED
- Input Voltage: DC12V
- Color: RGBW
- Material: ABS + PCB
- IP Grade: Waterproof IP68
- Warranty: 2 Years
- Easy to install
- Application: Advertisement sign, lighting box, etc.



Model	LED Qty	Watt	Voltage	Color	Beam Angle	IP Grade
SNS-16MW-RGB	3pcs	0.96W	12VDC	RGBW	120°	IP68