Shininess the Future

上海善宇实业有限公司

Shanghai shininess Industrial Co., Ltd

Tel: +86-21-58545653

Fax: +86-21-58545652

E-mail: info@shininess.com

Website: www.shininess.com

www.shininess-home.com

善宇实业

SHININESS INDUSTRIAL



LED Strip Light

Shanghai shininess Industrial Co., Ltd

www.shininess.com

COB - Single Color

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Lumen	CRI	IP Grade
SNS-COB-160-M08	8W/M	COB	160Chips	12V/24V	8mm	2700-6000K	100Lm/W	Ra>90	IP20/IP67
SNS-COB-160-M10	12W/M	COB	160Chips	12V/24V	10mm	2700-6000K	100Lm/W	Ra>90	IP20/IP67
SNS-COB-320-M08	8W/M	COB	320Chips	12V/24V	8mm	R/G/B/W	100Lm/W	Ra>90	IP20/IP67
SNS-COB-320-M10	12W/M	COB	320Chips	12V/24V	10mm	R/G/B/W	100Lm/W	Ra>90	IP20/IP67
SNS-COB-360-M08	8W/M	COB	360Chips	12V/24V	8mm	R/G/B/W	100Lm/W	Ra>90	IP20/IP67
SNS-COB-360-M10	12W/M	COB	360Chips	12V/24V	10mm	R/G/B/W	100Lm/W	Ra>90	IP20/IP67



COB - Single Color

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Lumen	CRI	IP Grade
SNS-COB-480-M06	8W/M	COB	480Chips	12V/24V	6mm	R/G/B/W	100Lm/W	Ra>90	IP20/IP67
SNS-COB-480-M08	10W/M	COB	480Chips	12V/24V	8mm	R/G/B/W	100Lm/W	Ra>90	IP20/IP67
SNS-COB-480-M10	12W/M	COB	480Chips	12V/24V	10mm	R/G/B/W	100Lm/W	Ra>90	IP20/IP67
SNS-COB-504-M10	12W/M	COB	504Chips	12V/24V	10mm	R/G/B/W	100Lm/W	Ra>90	IP20/IP67



COB - RGB

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	IP Grade
SNS-COB-410RGB-M10	15W/M	COB	410Chips	12V	10mm	RGB	IP20/IP67
SNS-COB-480RGB-M10	15W/M	COB	480Chips	24V	10mm	RGB	IP20/IP67
SNS-COB-810RGB-M10	15W/M	COB	810Chips	12V	10mm	RGB	IP20/IP67
SNS-COB-840RGB-M10	15W/M	COB	840Chips	24V	10mm	RGB	IP20/IP67
SNS-COB-784RGBW-M12	19W/M	COB	784Chips	24V	12mm	RGBW	IP20/IP67
SNS-COB-840RGBWW-M12	21W/M	COB	840Chips	24V	12mm	RGBWW	IP20/IP67



COB - Triple color (2700-4000-6500K)

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Lumen	CRI	IP Grade
SNS-COB-576-M10A	10W/M	COB	576Chips	12V	10mm	WW-NW-CW	100Lm/W	Ra>90	IP20/IP67
SNS-COB-576-M10B	20W/M	COB	576Chips	24V	10mm	WW-NW-CW	100Lm/W	Ra>90	IP20/IP67
SNS-COB-608-M10A	10W/M	COB	608Chips	12V	10mm	WW-NW-CW	100Lm/W	Ra>90	IP20/IP67
SNS-COB-608-M10B	20W/M	COB	608Chips	24V	10mm	WW-NW-CW	100Lm/W	Ra>90	IP20/IP67

5050SMD - Single color

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Lumen	CRI	IP Grade
SNS-5050-30-M10	7.2W/M	5050SMD	30LEDs	12V/24V	10mm	R/G/B/W	70Lm/W	Ra>80/90	IP20/IP65/IP68
SNS-5050-60-M10	14.4W/M	5050SMD	60LEDs	12V/24V	10mm	R/G/B/W	70Lm/W	Ra>80/90	IP20/IP65/IP68
SNS-5050-96-M10	23W/M	5050SMD	96LEDs	12V	10mm	R/G/B/W	70Lm/W	Ra>80/90	IP20/IP65/IP68
SNS-5050-120-M15	28.8W/M	5050SMD	120LEDs	12V/24V	15mm	R/G/B/W	70Lm/W	Ra>80/90	IP20/IP65/IP68

5050SMD - RGB

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	IP Grade
SNS-5050-30RGB-M10	7.2W/M	5050SMD	30LEDs	12V/24V	10mm	RGB	IP20/IP65/IP68
SNS-5050-60RGB-M10	14.4W/M	5050SMD	60LEDs	12V/24V	10mm	RGB	IP20/IP65/IP68
SNS-5050-96RGB-M10	23W/M	5050SMD	96LEDs	12V	10mm	RGB	IP20/IP65/IP68
SNS-5050-120RGB-M15	28.8W/M	5050SMD	120LEDs	12V/24V	15mm	RGB	IP20/IP65/IP68



5050SMD - RGBW - 4 in 1

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	CRI	IP Grade
SNS-5050-30RGBW-M10	9.6W/M	5050SMD	30LEDs	12V/24V	10mm	RGBW 4in1	Ra>80	IP20/IP65/IP68
SNS-5050-60RGBW-M12	19.2W/M	5050SMD	60LEDs	12V/24V	12mm	RGBW 4in1	Ra>80	IP20/IP65/IP68
SNS-5050-72RGBW-M12	23W/M	5050SMD	72LEDs	12V/24V	12mm	RGBW 4in1	Ra>80	IP20/IP65/IP68
SNS-5050-96RGBW-M12	30.6W/M	5050SMD	96LEDs	12V/24V	12mm	RGBW 4in1	Ra>80	IP20/IP65/IP68

5050SMD - WRGBW - 5 in 1

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	CRI	IP Grade
SNS-5050-30WRGBW-M12	9.6W/M	5050SMD	30LEDs	12V/24V	12mm	WRGBW 5in1	Ra>80	IP20/IP65/IP68
SNS-5050-60WRGBW-M12	19.2W/M	5050SMD	60LEDs	12V/24V	12mm	WRGBW 5in1	Ra>80	IP20/IP65/IP68

4mm PCB Width

2835SMD

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Lumen	CRI	IP Grade
SNS-2835-30-M08	6W/M	2835SMD	30LEDs	12V/24V	8mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-60-M08	12W/M	2835SMD	60LEDs	12V/24V	8mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-60-M10	12W/M	2835SMD	60LEDs	12V/24V	10mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-120-M04	8W/M	2835SMD	120LEDs	12V/24V	4mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-120-M05	9.6W/M	2835SMD	120LEDs	12V/24V	5mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-120-M06	9.6W/M	2835SMD	120LEDs	12V/24V	6mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-120-M08	12W/M	2835SMD	120LEDs	12V/24V	8mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-120-M10	14.4W/M	2835SMD	120LEDs	12V/24V	10mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-120-M12	14.4W/M	2835SMD	120LEDs	12V/24V	12mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-144-M10	16W/M	2835SMD	144LEDs	12V/24V	10mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-168-M08	14.4W/M	2835SMD	168LEDs	12V/24V	8mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-168-M10	14.4W/M	2835SMD	168LEDs	12V/24V	10mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-240-M10	16W/M	2835SMD	240LEDs	12V/24V	10mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-280-M20	18W/M	2835SMD	280LEDs	12V/24V	20mm	R /G /B /W	80Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-128H-M08	12W/M	2835SMD	128LEDs	24V	8mm	2700-6500K	160Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-128H-M10	14.4W/M	2835SMD	128LEDs	24V	10mm	2700-6500K	160Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-160H-M05	16W/M	2835SMD	160LEDs	24V	5mm	2700-6500K	160Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-160H-M10	16W/M	2835SMD	160LEDs	24V	10mm	2700-6500K	160Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-160H-M12	16W/M	2835SMD	160LEDs	24V	12mm	2700-6500K	160Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-160H-M15	18W/M	2835SMD	160LEDs	24V	15mm	2700-6500K	160Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-192H-M10	16W/M	2835SMD	192LEDs	24V	10mm	2700-6500K	160Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-192H-M15	18W/M	2835SMD	192LEDs	24V	15mm	2700-6500K	160Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-240H-M12	19.2W/M	2835SMD	240LEDs	24V	10mm	2700-6500K	160Lm/W	Ra>80	IP20/IP65/IP68
SNS-2835-126H-M12	9.6W/M	2835SMD	126LEDs	24V	12mm	2700-6500K	200Lm/W	Ra>80	IP20/IP65/IP68

3014SMD

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Lumen	CRI	IP Grade
SNS-3014-60-M08	7.2W/M	3014SMD	60LEDs	12V/24V	8mm	2700-6500K	75Lm/W	Ra>80	IP20/IP65/IP68
SNS-3014-120-M08	14.4W/M	3014SMD	120LEDs	12V/24V	8mm	2700-6500K	75Lm/W	Ra>80	IP20/IP65/IP68
SNS-3014-240-M10	24W/M	3014SMD	240LEDs	12V/24V	10mm	2700-6500K	75Lm/W	Ra>80	IP20/IP65/IP68



3014SMD - Side Emitting

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Lumen	CRI	IP Grade
SNS-3014-60S-M08	7.2W/M	3014SMD	60LEDs	12V/24V	8mm	2700-6500K	75Lm/W	Ra>80	IP20/IP65/IP68
SNS-3014-120S-M08	14.4W/M	3014SMD	120LEDs	12V/24V	8mm	2700-6500K	75Lm/W	Ra>80	IP20/IP65/IP68

2216SMD

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Lumen	CRI	IP Grade
SNS-2216-120-M10	9.6W/M	2216SMD	120LEDs	24V	10mm	2700-6500K	65Lm/W	Ra>80/90	IP20/IP65/IP68
SNS-2216-180-M10	14.4W/M	2216SMD	180LEDs	24V	10mm	2700-6500K	65Lm/W	Ra>80/90	IP20/IP65/IP68
SNS-2216-240-M10	19.2W/M	2216SMD	240LEDs	24V	10mm	2700-6500K	65Lm/W	Ra>80/90	IP20/IP65/IP68
SNS-2835-300-M10	20W/M	2216SMD	300LEDs	24V	10mm	2700-6500K	65Lm/W	Ra>80/90	IP20/IP65/IP68

5630SMD

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Lumen	CRI	IP Grade
SNS-5630-60-M10	14.4W/M	5630SMD	60LEDs	12V/24V	10mm	2700-6500K	90Lm/W	Ra>90/80	IP20/IP65/IP68
SNS-5630-120-M10	28.8W/M	5630SMD	120LEDs	24V	10mm	2700-6500K	90Lm/W	Ra>90/80	IP20/IP65/IP68
SNS-5630-120-M15	28.8W/M	5630SMD	120LEDs	24V	15mm	2700-6500K	90Lm/W	Ra>90/80	IP20/IP65/IP68
SNS-5630-240-M15	38.4W/M	5630SMD	240LEDs	24V	15mm	2700-6500K	90Lm/W	Ra>90/80	IP20/IP65/IP68

3528SMD

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Lumen	CRI	IP Grade
SNS-3528-30-M08	2.4W/M	3528SMD	30LEDs	12V/24V	8mm	R /G / B/ W	65Lm/W	Ra>80/90	IP20/IP65/IP68
SNS-3528-60-M08	4.8W/M	3528SMD	60LEDs	12V/24V	8mm	R /G / B/ W	65Lm/W	Ra>80/90	IP20/IP65/IP68
SNS-3528-240-M10 (Single Row)	19.2W/M	3528SMD	240LEDs	12V/24V	10mm	R /G / B/ W	65Lm/W	Ra>80/90	IP20/IP65/IP68
SNS-3528-240-M15 (Double Row)	19.2W/M	3528SMD	240LEDs	24V	15mm	R /G / B/ W	65Lm/W	Ra>80/90	IP20/IP65/IP68





UV LED Strip Light

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Wavelength	IP Grade
SNS-5050-60UV-M10	14.4W/M	5050SMD	60LEDs	12V/24V	10mm	390-400nm	IP20/IP65
SNS-3528-60UV-M08	4.8W/M	3528SMD	60LEDs	12V/24V	8mm	390-400nm	IP20/IP65

S Shape Bendable Strip Light

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Lumen	CRI	IP Grade
SNS-2835-60S-M06	12W/M	2835SMD	60LEDs	12V/24V	6mm	2700-6500K	80Lm/W	Ra>80	IP20
SNS-2835-72S-M06	14W/M	2835SMD	72LEDs	12V/24V	6mm	2700-6500K	80Lm/W	Ra>80	IP20
SNS-5050-42S-M12	9.6W/M	5050SMD	42LEDs	12V	12mm	2700-6500K	80Lm/W	Ra>80	IP20



LED Strip Grow Ligh

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	IP Grade
SNS-5050-60G-M08	14.4W/M	5050SMD	60LEDs	12V/24V	8mm	Red: Blue (3:1 / 4:1)	IP20/IP65/IP68
SNS-5050-60G-M10	14.4W/M	5050SMD	60LEDs	12V/24V	10mm	Red: Blue (3:1 / 4:1)	IP20/IP65/IP68

USB TV Backlight: Bluetooth controller (Mobile App)

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Size	IP Grade
SNS-5050RGB-30D-1M-TV1	7.2W/M	5050SMD	30LEDs	DC5V	10mm	RGB	1m	IP20/IP65
SNS-5050RGB-30D-2M-TV1	7.2W/M	5050SMD	30LEDs	DC5V	10mm	RGB	2m	IP20/IP65
SNS-5050RGB-30D-3M-TV1	7.2W/M	5050SMD	30LEDs	DC5V	10mm	RGB	3m	IP20/IP65
SNS-5050RGB-30D-4M-TV1	7.2W/M	5050SMD	30LEDs	DC5V	10mm	RGB	4m	IP20/IP65
SNS-5050RGB-30D-5M-TV1	7.2W/M	5050SMD	30LEDs	DC5V	10mm	RGB	5m	IP20/IP65

USB TV Backlight: IR or Bluetooth controller

Model	Power	LED Type	Qty/M	Voltage	PCB Width	Color	Size	IP Grade
SNS-5050RGB-30D-1M-TV2	7.2W/M	5050SMD	30LEDs	DC5V	10mm	RGB	1m	IP20/IP65
SNS-5050RGB-30D-2M-TV2	7.2W/M	5050SMD	30LEDs	DC5V	10mm	RGB	2m	IP20/IP65
SNS-5050RGB-30D-3M-TV2	7.2W/M	5050SMD	30LEDs	DC5V	10mm	RGB	3m	IP20/IP65
SNS-5050RGB-30D-4M-TV2	7.2W/M	5050SMD	30LEDs	DC5V	10mm	RGB	4m	IP20/IP65
SNS-5050RGB-30D-5M-TV2	7.2W/M	5050SMD	30LEDs	DC5V	10mm	RGB	5m	IP20/IP65